

Bibliography

Chapter 1

- [1] C. E. Lee and H. F. Taylor, "Fiber-optic Fabry-Perot Temperature Sensor Using a Low-Coherence Light Source," *Journal of Lightwave Technology*, vol. 9, No. 1, pp. 129-134, 1991.
- [2] J. P. Dakin, C. A. Wade, and P. B. Withers, "An Optical Fiber Pressure Sensor," *SPIE Fiber optics '87: Fifth International Conference on Fiber optics and Opto-electronics*, vol. 734, pp. 194-201, 1987.
- [3] J. Farah, *Interferometric Fiber Optic Displacement Sensor*, U.S. Patent # 5420688, May , 1995.
- [4] S. Terry, "A Miniature Silicon Accelerometer with Built-in Damping," *IEEE Solid-State Sensors and Actuators Workshop*, Hilton Head Island, SC, 1988, p. 114.
- [5] H. Chau and K. Wise, "An Ultraminiature Solid State Pressure Sensor for a Cardiovascular Catheter," *IEEE Trans. Electron Devices*, vol. 35, No. 12, pp. 2355-2362, 1988.
- [6] J. A. Folta, N. F. Raley, and E. W. Hee, "Design, Fabrication and Testing of Miniature Peristaltic Membrane Pump," *Tech. Digest IEEE Sensors and Actuators Workshop*, Hilton Head Island, SC, 1992, p. 186.
- [7] J. Y. Chang, A. A. Abidi, and M. Gaitan, "Large Suspended Inductors on Silicon and Their Use in a 2 μm CMOS RF Amplifier," *IEEE Electron Device Lett.*, vol. 14, p. 246, 1993.
- [8] J. H Jerman, D. J. Clift, and S. R. Mallinson, "A Miniature Fabry-Perot Interferometer With A Corrugated Silicon Diaphragm Support," *Tech. digest IEEE Solid-State Sensor and Actuator Workshop*, 1990, pp. 140-144.

- [9] B. Halg, "A Silicon Pressure Sensor With A Low-cost Contactless Interferometric Optical Readout," *Sensors and Actuators A*, vol. 30, No. 3, pp. 225- 229, 1992.
- [10] R. A. Wolthuis, G. L. Mitchell, E. Saaski, J. C. Hartl, and M. A. Afromowitz, "Development of Medical Pressure and Temperature Sensors Employing Optical Spectrum Modulation," *IEEE Trans. on Biomedical Engin.*, vol. 38, No. 10, pp. 974-980, 1991.
- [11] K. Aratani, P. J. French, P. M. Sarro, D. Poenar, R. F. Wolffenbuttel, and S. Middelhoek, "Surface Micromachined Tunable Interferometer Array," *Sensors and Actuators*, vol. A 43, pp. 17-23, 1994.
- [12] Y. Kim and D. P. Neikirk, "Surface Micromachined Fabry-Perot Cavity Pressure Transducer" submitted for publication to *IEEE Photonics Technology Letters*.

Chapter 2

- [1] M. Born and E. Wolf, *Principles of Optics*, 6th Edition ed. Oxford, England: Pergamon Press, 1980.
- [2] E. D. Palik, *Handbook of Optical Constants of Solids*. Orlando, FL: Academic Press, 1985.
- [3] R. A. Wolthuis, G. L. Mitchell, E. Saaski, J. C. Hartl, and M. A. Afromowitz, "Development of Medical Pressure and Temperature Sensors Employing Optical Spectrum Modulation," *IEEE Trans. on Biomedical Engin.*, vol. 38, pp. 974 - 980, 1991.
- [4] B. Halg, "A Silicon Pressure Sensor with a Low-cost Contactless Interferometric Optical Readout," *Sensors and Actuators A*, vol. 30, pp. 225-229, 1992.

- [5] D. Gloge, "Weakly Guiding Fibers," *Applied Optics*, vol. 10, pp. 2252-2258, 1971.
- [6] D. Marcuse, "Loss Analysis of Single Mode Fiber Slices," *The Bell System Technical Journal*, vol. 56, pp. 703-718, 1977.
- [7] Y. Kim and D. P. Neikirk, "Surface Micromachined Fabry-Perot Cavity Pressure Transducer," submitted for publication to *IEEE Photonics Technology Letters*.

Chapter 3

- [1] H. A. Macleod, *Thin-film optical filters*, New York: McGraw-Hill, 1986.
- [2] P. Baumeister, "Methods of altering the characteristics of a multilayer stack," *Journal of The Optical Society of America*, vol. 52, No. 10, pp. 1149 - 1152, 1962.
- [3] P. Bousquet, A. Fournier, R. Kowalczyk, E. Pelletier, and P. Roche, "Optical Filters: Monitoring Process Allowing the Auto-Correction of Thickness Errors," *Thin Solid Films*, vol. 13, pp. 285 - 290, 1972.
- [4] L. Ristic, *Sensor Technology and Devices*, Norwood, MA: Artech House, 1994.
- [5] Silicon Valley Group Inc., *Technical Support report*
- [6] *Private communication with MetaVac Inc., Flushing, NY*
- [7] R. A. Wolthuis, G. L. Mitchell, E. Saaski, J. C. Hartl, and M. A. Afromowitz, "Development of Medical Pressure and Temperature Sensors Employing Optical Spectrum Modulation," *IEEE Trans. on Biomedical Engin.*, vol. 38, No. 10, pp. 974 - 980, 1991.

- [8] K. Aratani, P. J. French, P. M. Sarro, D. Poenar, R. F. Wolffenbuttel, and S. Middelhoek, "Surface micromachined tunable interferometer array," *Sensors and Actuators*, vol. A 43, pp. 17-23, 1994.
- [9] K. W. Goossen, J. A. Walker, and S. C. Arney, "Silicon modulator based on mechanically-active anti-reflection layer for fiber-in-the-loop applications," *Optical Fiber Communications*, San Jose, CA, vol. PD-10, 1994, p. 50.

Chapter 4

- [1] M. G. Allen, M. Mehregany, R. T. Howe, and S. D. Senturia, "Microfabricated Structures for the in situ Measurement of Residual Stress, Young's Modulus, and Ultimate Strain of Thin Films," *Appl. Phys. Lett.*, vol. 51, pp. 241-243, 1987.
- [2] D. W. Burns and H. Guckel, "Thin Films for Micromechanical Sensors," *Journal of Vac. Sci. Tech.*, vol. A 8, p. 3606, 1990.
- [3] H. Guckel, T. Randazzo, and D. Burns, "A Simple Technique for the Determination of Mechanical Strain in Thin Films with Applications to Polysilicon," *J. Appl. phys.*, vol. 57, p. 1671, 1985.
- [4] M. Mehregany, R. Howe, and S. Senturia, "Novel Structures for the in-situ Measurement of Mechanical Properties of Thin Films," *J. Appl. Phys.*, vol. 62, p. 3579, 1987.
- [5] O. Tabata, K. Kawahata, S. Sugiyama, and I. Igarashi, "Mechanical Property Measurements of Thin Films using Load-Deflection of Composite Rectangular Membranes," *Sensors and Actuators A*, vol. 20, pp. 135-141, 1989.

- [6] G. Stoney, "The Tension of Metallic Films Deposited by Electrolysis," *Proc. Roy. Soc.*, vol. A 82, p. 172, 1909.
- [7] A. Sinha, H. Levinstein, and T. Smith, "Thermal Stresses and Cracking Resistance of Dielectric Films on Si Substrates," *J. Appl. Phys.*, vol. 49, No. 4, pp. 2423-2426, 1978.
- [8] S. T. Cho, K. Najafi, and K. Wise, "Internal Stress Compensation and Scaling in Ultrasensitive Silicon Pressure Sensors," *IEEE Trans. Electron Devices*, vol. 39, No. 4, pp. 836-842, 1992.
- [9] S. Timoshenko, *Theory of Elastic Stability*, McGraw Hill, 1936.
- [10] C. C Chang and H. D. Conway, "The Marcuse Method Applied to Solution of Uniformly Loaded and Clamped Rectangular Plate Subjected to Forces in Its Plates," *Journal of Applied Mechanics*, vol. 19, pp. 179-184, 1952.
- [11] E. G. Odley, "Deflections and Moments of A Rectangular Plate Clamped on All Edges and Under Hydrostatic Pressure," *Trans. ASME*, vol. 69, pp. 289-295, 1947.

Chapter 5

- [1] S. M. Sze, *Physics of Semiconductor Devices*, John Wiley & Sons, 1981.
- [2] L. Ristic ed. , *Sensor Technology and Devices*, Artech House, 1994
- [3] K. D. Bean, "Anisotropic Etching of Silicon," *IEEE Trans. Electron. Devices*, vol. ED-25, p. 1185, 1978.
- [4] A. Reisman, M. Berkenbilt, S. Chan, F. Kaufman, and D. Green, "The Controlled Etching of Silicon in Catalyzed Ethylenediamine-Pyrocatechol-Water Solutions," *J. Electrochem. Soc.*, vol. 126, p. 1406, 1979.

- [5] D. L. Kendall, "On Etching Very Narrow Grooves in Silicon," *Appl. Phys. Lett.*, vol. 26, p. 195, 1975.
- [6] O. Tabata, R. Asahi, H. Funabashi, and S. Sugiyama, "Anisotropic Etching of Silicon in $(\text{CH}_3)_4\text{NOH}$ Solutions," *IEEE Int. Conf. on Solid-State Sensors and Actuators*, 1991, pp. 811-814.
- [7] L. Clark, J. Lund, and D. Edell, "Cesium Hydroxide(CsOH): A useful Etchant for Micromachining Silicon," *IEEE Solid-State Sensors and Actuators Workshop*, Hilton Head Island, SC, 1988, p. 5.
- [8] J. C. Greenwood, "Ethylenediamine-Catechol-Water Mixture Shows Preferential Etching of p-n Junction," *J. Electrochem. Soc.*, vol. 116, p. 1325, 1969.
- [9] E. D. Palik, V. M. Bermudez, and O. J. Glembocki, "Ellipsometric Study of the Etch-Stop Mechanism in Heavily Doped Silicon," *J. Electrochem. Soc.*, vol. 132, p. 135, 1985.
- [10] H. Seidel, L. Csepregi, A. Heuberger, and H. Baumgartel, "Anisotropic Etching of Crystalline Silicon in Alkaline Solution-Influence of Dopants," *J. Electrochem. Soc.*, vol. 137, p. 3626, 1990.
- [11] O. J. Glembocki, R. E. Stahlbush, and M. Tomkiewicz, "Bias-Dependent Etching of Silicon in Aqueous KOH," *J. Electrochem. Soc.*, vol. 132, pp. 145-151, 1985.
- [12] T. A. Kwa, and R. F. Wolffenbuttel, "Electronically Controlled Etch-Mask for Silicon Bulk Micromachining," *J. Electromechanical systems*, vol. 3, pp. 155-161, 1994.
- [13] A. Nakagawa, K. Watanabe, Y. Yamaguchi, H. Ohashi, and K. Furukawa, "1800 V Bipolar-Mode MOSFETs: A First Application of Silicon Wafer Direct Bonding Technique to a Power Device," *Tech. Digest IEDM 86*, 1986, p. 56.

- [14] J. B. Lasky, S. R. Stiffler, F. R. White, and J. R. Abe, "Silicon-On Insulator by Bonding and Etch-Back," *Tech. Digest IEDM 85*, Washington DC, 1985, pp. 684-687.
- [15] W. A. Krull, J. F. Buller, G. V. Rouse, and R. D. Cherne, "Electrical and Radiation Characterization of Three SOI Material Techniques," *IEEE Circuits and Devices Mag.*, vol. 3, p. 20, July 1987.
- [16] C. Harendt, B. Hofflinger, H. Graf, and E. Penteker, "Silicon Direct Bonding for Sensor Applications: Characterization of the Bond Quality," *Sensors and Actuators A*, vol. 25-27, pp. 87-92, 1991.
- [17] H. J. Quenzer, W. Benecke, and C. Dell, "Low Temperature Wafer Bonding for Micromechanical Applications," *Micro Electro Mechanical Systems 92*, Travemunde, Germany, 1992, pp. 49-55.
- [18] S. Terry, "A Miniature Silicon Accelerometer with Built-in Damping," *IEEE Solid-State Sensors and Actuators Workshop*, Hilton Head Island, SC, 1988, p. 114.
- [19] J. A. Folta, N. F. Raley, and E. W. Hee, "Design, Fabrication and Testing of Miniature Peristaltic Membrane Pump," *Tech. Digest IEEE Sensors and Actuators Workshop*, Hilton Head Island, SC, 1992, p. 186.
- [20] J. Y. Chang, A. A. Abidi, and M. Gaitan, "Large Suspended Inductors on Silicon and Their Use in a 2 μm CMOS RF Amplifier," *IEEE Electron Device Lett.*, vol. 14, p. 246, 1993.
- [21] Y. Kim and D. P. Neikirk, "Surface Micromachined Fabry-Perot Cavity Pressure Transducer," submitted for publication to *IEEE Photonics Technology Letters*, 1995.

- [22] C. H. Ahn, and M. G. Allen, "A Fully Intergrated Micromagnetic Actuator With a Multilevel Meander Magnetic Core," *IEEE Solid-State Sensor and Actuator Workshop*, Hilton Head Island, SC, 1992, p. 14.
- [23] P. R. Scheeper, J. A. Voorthuyzen, W. Olthuis, and P. Bergveld, "Investigation of Attractive Forces between PECVD Silicon Nitride Microstructures and an Oxidized Silicon Substrate," *Sensors and Actuators A*, vol. 30, pp. 231-239, 1992.
- [24] R. L. Alley, G. J. Cuan, R. T. Howe, and K. Komvopoulos, "The Effect of Release-Etch Processing on Surface Microstructure Sticking," *Tech. Digest IEEE Solid-State Sensors and Actuators Workshop*, Hilton Head Island, SC, 1992, p. 202.
- [25] M. Orpana, and A. O. Korhonen, "Control of Residual Stress of Polysilicon Thin Films by Heavy Doping in Surface Micromachining," *Tech. Digest Transducers 91*, 1991, p. 957.
- [26] R. A. Wolthuis, G. L. Mitchell, E. Saaski, J. C. Hartl, and M. A. Afromowitz, "Development of Medical Pressure and Temperature Sensors Employing Optical Spectrum Modulation," *IEEE Trans. on Biomedical Engin.*, vol. 38, pp. 974-980, 1991.
- [27] J. P. Dakin, C. A. Wade, and P. B. Withers, "An Optical Fiber Pressure Sensor," *SPIE Fiber optics '87:Fifth International Conference on Fiber optics and Opto-electronics*, vol. 734, pp. 194-201, 1987.
- [28] Y. Kim and D. P. Neikirk, "Monolithically Integrated Optically Interrogated Pressure Microsensor," *Journal of Acoustic Society of America*, 124th meeting, New Orleans, LA, 1992, p. 2353.
- [29] *Private communication with Transene Company, MA*

Chapter 6

- [1] S. T. Cho, K. Najafi, and K. Wise, "Internal Stress Compensation and Scaling in Ultrasensitive Silicon Pressure Sensors," *IEEE Trans. Electron Devices*, vol. 39, pp. 836-842, 1992.

Chapter 7

- [1] O. Tabata, K. Shimaoka, and S. Sugiyama, "In situ Observation and Analysis of Wet Etching Process for Micro electromechanical Systems," *IEEE Micro Electro Mechanical System*, 1991, pp. 99-102.
- [2] Y. Kim, J. Han, and D. P. Neikirk, "Novel Fabrication Techniques for Micro Fabry-Perot Cavity Sensors," *American Vacuum Society, 14th annual joint Symposium on Electronic Materials, Processing and Characterization*, Austin, Tx, 1995.
- [3] K. W. Goossen, J. A. Walker, and S. C. Arney, "Silicon modulator based on mechanically-active anti-reflection layer for fiber-in-the-loop applications," *Optical Fiber Communications*, San Jose, CA, vol. PD-10, 1994, p. 50.
- [4] M. Sekimoto, H. Yoshihara, and T. Ohkubo, "Silicon Nitride Single-Layer X-ray Mask", *J. Vac. Sci. Technol.*, vol. 21, No. 4, pp. 1017-1021, 1982.