

References

Chapter 1

- Isl93 Issues specific to the Schottky contacted CPW phase shifter have been addressed by M. Saiful Islam in his Ph.D. research. The purpose of presenting the ELO CPW is to show the positive impact that the ELO method has had on this device structure.
- KeN87 V.P. Kesan, D.P. Neikirk, B.G. Streetman, and P.A. Blakely, "A New Transit Time Device using Quantum Well Injection," *IEEE Electron Device Lett.*, Vol. EDL-8, pp. 129-131, 1987.
- TsE73 R. Tsu and L. Esaki, "Tunneling in a Finite Superlattice," *Appl. Phys. Lett.*, Vol. 22, No. 11, pp. 562-564, 1973.
- YaG87 E. Yablonovitch, T. Gmitter, J.P. Harbison, and R. Bhat, "Extreme selectivity in the lift-off of epitaxial GaAs film," *Appl. Phys. Lett.*, Vol. 51, No. 26, pp. 2222-2224, 1987.

Chapter 2

- ChF87 T.C. Chong and C.G. Fonstad, "Growth of high quality GaAs layers directly on Si substrate by molecular beam epitaxy," *J. Vac. Sci. Technol. B* 5(3), pp. 815-818, 1987.
- FaC87 C.W. Farley, G.E. Crook, V.P. Kesan, T.R. Block, H.A. Stevens, T.J. Mattord, D.P. Neikirk, and B.G. Streetman, "Substrate Rotation and carbon generation in a molecular-beam epitaxy system," *J. Vac. Sci. Technol.*, B5 (5), pp. 1374-1376, 1987.
- FoJ75 C.T. Foxon and B.A. Joyce, "Interaction Kinetics of As₄ and Ga on {100} GaAs Surfaces using a Modulated Molecular Beam Technique," *Surf. Sci.*, Vol. 50, pp. 434-450, 1975.
- FoJ77 C.T. Foxon and B.A. Joyce, "Interaction Kinetics of As₂ and Ga on {100} GaAs Surfaces," *Surf. Sci.*, Vol. 64, pp. 293-304, 1977.
- GoM91 Y. González, A. Manuelas, M. Recio, L. González, G. Armelles, and F. Briones, "Determination of In-Depth Thermal Strain Distribution in Molecular Beam Epitaxy GaAs on Si," *Applied Physics A Solids and Surfaces*, Springer-Verlag, A53, pp. 260-264, 1991.

- Gra85 J.D. Grange, "The Growth of the MBE III-V Compounds and Alloys," *The Technology and Physics of Molecular Beam Epitaxy*, edited by E.H. C. Parker, pp. 47-59, 1985.
- HiS91 Y. Hirota, K. Sugii, and Y. Homma, "Cleaning Effects of Running Deionized Water on a GaAs Surface," *J. Electrochem. Soc.*, Vol. 138, No. 3, pp. 799-802, 1991.
- Joy90 B.A. Joyce, "The Evaluation of Growth Dynamics in MBE using Electron Diffraction," *Journal of Crystal Growth*, Vol. 99, pp. 9-17, 1990.
- MBE91 The software was written by an undergraduate student, under the supervision of T.R. Block for the MBE group.
- MoD82 H. Morkoc, T.J. Drummond, W. Kopp, and R. Fischer, "Influence of Substrate Temperature on the Morphology of $\text{Al}_x\text{Ga}_{1-x}\text{As}$ Grown by Molecular Beam Epitaxy," *J. Electrochem. Soc.*, Vol. 129, No. 4, pp. 824-826, 1982.
- NeJ78A J.H. Neave and B.A. Joyce, *J. Crystal Growth*, 43, pg. 204, 1978.
- NeJ78B J.H. Neave and B.A. Joyce, *J. Crystal Growth*, 44, pg. 387, 1978.
- Par85 E.H.C. Parker, *The Technology and Physics of Molecular Beam Epitaxy*, Plenum Press, 1985.
- Woo64 E.A. Wood, "Vocabulary of Surface Crystallography," *J. Appl. Phys.*, Vol. 35, No. 4, pp. 1306-1312, 1964.

Chapter 3

- AnE75 G.A. Antypas and J. Edgecumbe, "Glass-sealed GaAs-AlGaAs transmission photocathode," *Appl. Phys. Lett.*, Vol. 26, pp. 371-372, 1975.
- Bid81 Biddle Instruments Product Literature on Apiezon Oil, Greases, and Waxes for High Vacuum Work, Bulletin 43c, 1981.
- BuF92A G.F. Burns and C.G. Fonstad, "Monolithic Fabrication of Strain-Free (AlGa)As Heterostructure Lasers on Silicon Substrates," *IEEE Photonics Technology Letters*, Vol. 4, No. 1, pp. 18-21, 1992.
- BuF92B G.F. Burns and C.G. Fonstad, "Complete strain relief of heteroepitaxial GaAs on Si," *Appl. Phys. Lett.*, Vol. 61, No. 18, pp. 2199-2201, 1992.

- CaH91 C. Camperi-Ginestet, M. Hargis, N. Jokerst, and M. Allen, "Alignable Epitaxial Liftoff of GaAs Materials with Selective Deposition using Polyimide Diaphragms," *IEEE Photonics Technology Letters*, Vol. 3, No. 12, pp. 1123-1126, 1991.
- Cam91 J.C. Campbell, private communication, 1991.
- ChR92 W.K. Chan, T.S. Ravi, K. Kash, J. Christen, T.J. Gmitter, L.T. Florez, and J.P. Harbison, "Strain-induced lateral carrier confinement in quantum wells grafted onto nonplanar substrates," *Appl. Phys. Lett.*, Vol. 61, No. 11, pp. 1319-1321, 1992.
- DeP90 P. Demeester, I. Pollentier, L. Buydens, and P.V. Daele, "Novel optoelectronic devices and integrated circuits using epitaxial lift-off," *SPIE Vol. 1361 Physical Concepts of Materials for Novel Optoelectronic Device Applications*, pp. 987-998, 1990.
- DeV91 J. DeBoeck, C. Van Hoof, K. Deneffe, R.P. Mertens, and G. Borghs, "Relief of thermal stress in heteroepitaxial GaAs on Si by mesa release and deposition," *Appl. Phys. Lett.*, Vol. 59, No. 10, pp. 1179-1181, 1991.
- HöC83 B. Hök, C. Dubon, and C. Ovrén, "Anodic bonding of gallium arsenide to glass," *Appl. Phys. Lett.*, Vol. 43, No. 3, pp. 267-269, 1983.
- Hun88 C.E. Hunt, "Film Uniformity in Bond and Etch-Back Silicon on Insulator (BESOI)," 1988 *IEEE SOS/SOI Technology Conference*, pp. 57, 1988.
- IsT91 M.S. Islam, A.J. Tsao, and D.P. Neikirk, "GaAs on Quartz Coplanar Waveguide Phase Shifter," *IEEE Microwave and Guided Wave Letters*, Vol. 1, No. 11, pp. 328-330, 1991.
- Kes91 V.P. Kesan, personal correspondence, IBM, T.J. Watson Labs, 1991.
- KoS78 M. Konagai, M. Sugimoto, and K. Takahashi, "High Efficiency GaAs Thin Film Solar Cells by Peeled Film Technology," *Journal of Crystal Growth*, Vol. 45, pp. 277-280, 1978.
- LaK84 A.A. Lakhani, "The role of compound formation and heteroepitaxy in indium-based ohmic contacts to GaAs," *J. Appl. Phys.*, Vol. 56, No. 6, pp. 1888-1891, 1984.

- Las86 J.B. Lasky, "Wafer bonding for silicon-on-insulator technologies," Appl. Phys. Lett., Vol. 48, No. 1, pp. 78-80, 1986.
- LeP80 J.J. LePore, "An improved technique for selective etching of GaAs and Ga_{1-x}Al_xAs," J. Appl. Phys., Vol. 51, No. 12, pp. 6441-6442, 1980.
- LoB91 Y.H. Lo, R. Bhat, D.M. Hwang, M.A. Koza, and T.P. Lee, "Bonding by atomic rearrangement on InP/InGaAsP 1.5 μ m wavelength lasers on GaAs substrates," Appl. Phys. Lett., Vol. 58, pp. 1961-1963, 1991.
- MaP91 M.P. Maszara, P.P. Pronko, and A.W. McCormick, "Epi-less bond-and-etch-back silicon-on-insulator by MeV ion implantation," Appl. Phys. Lett., Vol. 58, No. 24, pp. 2779-2781, 1991.
- Mas91 W.P. Maszara, "SOI material by Wafer Bonding: An Overview," Invited Paper, 1991 IEEE SOS/SOI Technology Conference, pp. 18-19, 1991.
- Ohr92 M. Ohring, The Material Science of Thin Films, Academic Press, Inc., Harcourt Brace Jovanovich, Publishers, pg. 439, 1992.
- PoD90 I. Pollentier, P. Demeester, A. Ackaert, L. Buydens, P. Van Daele, R. Baets, "Epitaxial Lift-Off GaAs LEDs to Si for Fabrication of Opto-Electronic Integrated Circuits," Electronics Letters, Vol. 26, No. 3, pp. 193-194, 1990.
- PoZ91 I. Pollentier, Y. Zhu, B. De Meulemeester, P. Van Daele, and P. Demeester, "Low Stress Pd/Ge-based ohmic contacts for GaAs epitaxial-lift-off," Microelectronic Engineering, Vol. 15, pp. 153-156, 1991.
- ScG89 H. Schumacher, T.J. Gmitter, H.P. LeBlanc, R. Bhat, E. Yablonovitch, M.A. Koza, "High Speed InP/GaInAs Photodiode on Sapphire Substrate," Electronics Letters, Vol. 25, No. 24, pp. 1653-1654, 1989.
- TsI92 A.J. Tsao, M.S. Islam, and D.P. Neikirk, "Hybrid Integration of Millimeter Wave Devices using the Epitaxial Liftoff (ELO) Technique", 17th International Conference on Infrared and Millimeter Waves, SPIE Proceedings, pp. 421-422, 1992.
- TsR91 A.J. Tsao, V.K. Reddy, and D.P. Neikirk, "Epitaxial Liftoff of AlAs/GaAs Double Barrier Resonant Tunneling Diodes," Electronics Letters, Vo. 27, No. 6, pp. 484-486, 1991.
- VeT92 R. Venkatasubramanian, M.L. Timmons, T.P. Humphreys, B.M. Keyes, and R.K. Ahrenkiel, "High-quality eutectic-metal-bonded AlGaAs-GaAs thin films on Si substrates," Appl. Phys. Lett., Vol. 60, No. 7, pp. 886-888, 1992.

- WeF88 V.G. Weizer and N.S. Fatemi, "The interaction of gold with gallium arsenide," J. Appl. Phys, Vol. 64, No. 9, pp. 4618-4623, 1988.
- WoT86 S. Wolf and R.N. Tauber, Silicon Processing for the VLSI Era, Vol. 1, Process Technology, Lattice Press, pp. 532, 1986.
- WuC85 X.S. Wu, L.A. Coldren, and J.L. Merz, "Selective Etching Characteristics of HF for AlGaAs/GaAs," Electronic Letters, Vol. 21, pp. 558-559, 1985.
- YaG87 E. Yablonovitch, T. Gmitter, J.P. Harbison, and R. Bhat, "Extreme selectivity in the lift-off of epitaxial GaAs film," Appl. Phys. Lett., Vol. 51, No. 26, pp. 2222-2224, 1987.
- YaH90 E. Yablonovitch, D.M. Hwang, T.J. Gmitter, L.T. Florez, and J.P. Harbison, "Van der Waals bonding of GaAs epitaxial liftoff films onto arbitrary substrates," Appl. Phys. Lett., Vol. 56, No. 24, pp. 2419-2421, 1990.
- YaK89 E. Yablanovitch, E. Kapon, T.J. Gmitter, C.P. Yun, and R. Bhat, "Double Heterostructure GaAs/AlGaAs Thin Film Diode Lasers on Glass Substrates," IEEE Photonics Technology Letters, Vol. 1, No. 2, pp. 41-42, 1989.
- YaS91 E. Yablonovitch, T. Sands, D.M. Hwang, I. Schnitzer, T.J. Gmitter, S.K. Shastry, D.S. Hill, and J.C.C. Fan, "Van der Waals bonding of GaAs on Pd leads to a permanent, solid-phase-topotaxial, metallurgical bond," Appl. Phys. Lett. , Vol. 59, No. 24, pp. 3159-3161, 1991.
- YiC89 A. Yi-Yan, W.K. Chan, T.J. Gmitter, L.T. Florez, J.L. Jackel, E.Yablonovitch, R. Bhat, and J.P. Harbison, "Grafted GaAs Detectors on Lithium Niobate and Glass Optical Waveguides," IEEE Photonics Technology Letters, Vol. 1, No. 11, pp. 379-380, 1989.
- YiC90 A. Yi-Yan, W.K. Chan, C.K. Nguyen, T.J. Gmitter, R. Bhat, J.L. Jackel, "GaInAs/InP pin Photodetectors Integrated with Glass Waveguides," Electronics Letters, Vol. 27, No. 1, pp. 87-89, 1990.
- YoD91 G.W. Yoffe and J.M. Dell, "Multiple-Quantum-Well Reflection Modulator using a Lifted-Off GaAs/AlGaAs Film Bonded to Gold on Silicon," Electronics Letters, Vol. 27, No. 7, pp. 557-558, 1991.
- YoF91 G.W. Yoffe, "High-Efficiency Reflection Modulators using Lifted-Off GaAs/AlGaAs Layers Bonded to Gold on Silicon," Electronics Letters, Vol. 27, No. 17, pp. 1579-1581, 1991.

Chapter 4

- BIS91 T.R. Block and B.G. Streetman, "Correlation between the dampening of RHEED oscillations and the photoluminescence of quantum wells in the presence of AsO," *J. Crystal Growth*, Vol. 111, pp. 98-104, 1991.
- BrG67 N. Braslau, J.B. Gunn and J.L. Staples, "Metal-Semiconductor Contacts for GaAs Bulk Effect Devices," *Solid-State Electronics*, Vol. 10, pp. 381-383, 1967.
- BrP87 R.A. Bruce and G.R. Piercy, "An Improved Au-Ge-Ni Ohmic Contact to n-Type GaAs," *Solid-State Electronics*, Vol. 30, No. 7, pp. 729-737, 1987.
- BrS91 E.R. Brown, J.R. Söderström, C.D. Parker, L.J. Mahoney, K.M. Molvar, and T.C. McGill, "Oscillations up to 712 GHz in InAs/AlSb resonant tunneling diodes," *Appl. Phys. Lett.*, Vol. 58, No. 20, pp. 2291-2293, 1991.
- CaK85 F. Capasso and R.A. Kiehl, "Resonant tunneling transistor with quantum well base and high energy injection: A new negative differential resistance device," *J. Appl. Phys.*, Vol. 58, No. 3, pp. 1366-1368, 1985.
- CaM87 M. Cahay, M. McLennan, S. Datta, and M.S. Lundstrom, "Importance of Space-Charge Effects in Resonant Tunneling Devices," *Appl. Phys. Lett.*, Vol. 50, No. 10, pp.612-614, 1987.
- CaP85 A. Callegari, E.T.-S. Pan, and M. Murakami, "Uniform and Thermally Stable AuGeNi Ohmic Contacts to GaAs," *Appl. Phys. Lett.* 46(12), pp. 1141-1143, 1985.
- ChE74 L.L. Chang, L. Esaki, and R. Tsu, "Resonant Tunneling in Semiconductor Double Barriers," *Appl. Phys. Lett.*, Vol. 24, No. 12, pp. 593-595, 1974.
- ChL91 S.J. Chua, S.H. Lee, R. Gopalakrishnan, K.L. Tan, and T.C. Chong, "Investigation of the Dependence of the Contact Resistance on the External Gold Layer in AuNiGeNi/n-GaAs," *Thin Solid Films*, 200, pp. 211-217, 1991.
- ChV89 F. Chevoir and B. Vinter, "Calculation of Phonon-assisted tunneling and valley current in a double barrier diode," *Appl. Phys. Lett.*, Vol. 55, No. 18, pp. 1859-1861, 1989.

- CoS67 R.H. Cox and H. Strack, "Ohmic Contacts for GaAs Devices," *Solid-State Electronics*, Vol. 10, pp. 1213-1218, 1967.
- Esa58 L. Esaki, "New Phenomenon in Narrow Germanium p-n Junctions," *Phys. Rev.*, 109, pg. 603, 1958.
- GaD92 E. Gawlinski, T. Dzurak, and R.A. Tahir-Kheli, "Direct and exchange-correlation carrier interaction effects in a resonant tunnel diode," *J. Appl. Phys.*, Vol. 72, No. 8, pp. 3562-3569, 1992.
- GoT88 V.J. Goldman, D.C. Tsui, and J. E. Cunningham, "Breakdown of Coherence in Resonant Tunneling Through Double-Barrier Heterostructures," *Solid-State Electronics*, Vol. 31, No. 3/4, pp. 731-734, 1988.
- Gul91 K.K. Gullapalli, Master's Thesis, The University of Texas at Austin, 1991.
- GuM91 K.K. Gullapalli, D.R. Miller, and D.P. Neikirk, "Hybrid Boltzmann Transport-Schrödinger Equation Model for Quantum Well Injection Transit (QWITT) Diodes," 1991 International Electron Device Meeting (IEDM), pp. 511-514, 1991.
- GuR89 P. Gueret, C. Rossel, W. Schlup, and H.P. Meier, "Investigations on resonant tunneling in III-V heterostructures: Comparison between experimental data and model calculations," *J. Appl. Phys.*, Vol. 66, No. 9, pp. 4312-4316, 1989.
- HeM79 K. Hess, H. Morkoc, H. Shichijo, and B.G. Streetman, "Negative Differential Resistance through Real-Space Electron Transfer," *Appl. Phys. Lett.*, 35, pp. 469, 1979.
- Hic62 T.W. Hickmott, "Low-Frequency Negative Resistance in Thin Anodic Oxide Films," *Journal of Applied Physics*, Vol. 33, no. 9, pp. 2669-2682, 1962.
- HuI87 C.I. Huang, K. Ikossi-Anastasiou, M.J. Paulus, C.A. Bozada, C.E. Stutz, R.L. Jones, and K. R. Evans, "Temperature Effects on AlGaAs/GaAs Double Barrier Diodes with High Peak-to-Valley Current Ratios," 1987 IEEE Cornell High Speed Device Conference, pp. 356-364, 1987.
- KeN87 V.P. Kesan, D.P. Neikirk, B.G. Streetman, and P.A. Blakely, "A New Transit Time Device using Quantum Well Injection," *IEEE Electron Device Lett.*, Vol. EDL-8, pp. 129-131, 1987.

- KeN88 V.P. Kesan, D.P. Neikirk, P.A. Blakely, B.G. Streetman, and T.D. Linton, "The Influence of Transit-Time Effects on the Optimum Design and Maximum Oscillation Frequency of Quantum Well Oscillators," IEEE Transactions on Electron Devices, Vol. 35, No. 4, pp. 405-413, 1988.
- Kho90 A. Khondker, "A model for resonant and sequential tunneling in the presence of scattering," J. Appl. Phys., Vol. 67, No. 10, pp. 6432-6437, 1990.
- KiB61 C.S. Kim and A. Brändli, "High-Frequency High-Power Operation of Tunnel Diodes," IRE Transactions on Circuit Theory, Vol. CT-8, No. 4, pp. 416-425, 1961.
- KuB83 T.S. Kuan, P.E. Batson, T.N. Jackson, H. Rupprecht, and E.L. Wilkie, "Electron Microscope Studies of an Alloyed Au/Ni/Au-Ge Ohmic Contact to GaAs," J. Appl. Phys. 54 (12), pp. 6952-6957, 1983.
- KyK89 C.S. Kyono, V.P. Kesan, D.P. Neikirk, C.M. Maziar, and B.G. Streetman, "Dependence of apparent barrier height on barrier thickness for perpendicular transport in AlAs/GaAs single-barrier structures grown by molecular beam epitaxy," Appl. Phys. Lett., Vol. 54, No. 6, pp. 549-551, 1989.
- LeS86 R.L. Lee, W.J. Schaffer, Y.G. Chai, D. Liu, and J.S. Harris, "Material effects on the cracking efficiency of molecular beam epitaxy arsenic funaces," J. Vac. Sci. Technol. B, Vol. 4, No. 2, pp. 568-570, 1986.
- Liu87 H.C. Liu, "Resonant tunneling through single layer heterostructures," Appl. Phys. Lett., Vol. 51, No. 13, pp. 1019-1021, 1987.
- Lur85 S. Luryi, "Frequency Limit of double-barrier resonant-tunneling oscillators," Appl. Phys. Lett., Vol. 47, No. 5, pp. 490-492, 1985.
- MeC88 E.E. Mendez, E. Calleja, and W.I. Wang, "Inelastic Tunneling in AlAs-GaAs-AlAs Heterostructures," Appl. Phys. Lett., Vol. 53, No. 11, pp. 977-979, 1988.
- MeW87 E.E. Mendez, W.I. Wang, E. Calleja, and C.E.T. Goncalves da Silva, "Resonant tunneling via X-point states in AlAs-GaAs-AlAs heterostructures," Appl. Phys. Lett., Vol. 50, No. 18, pp. 1263-1265, 1987.
- Mil90 D.R. Miller, private communication, 1990.
- Mil91 D.R. Miller, private communication, 1991.

- Mil93 D. Miller, PhD Dissertation, The University of Texas at Austin, 1993.
- MiN91 D.R. Miller and D.P. Neikirk, "Simulation of intervalley mixing in double-barrier diodes using the lattice Wigner function," *Appl. Phys. Lett.*, Vol. 58, No. 24, pp. 2803-2805, 1991.
- MiT89 H. Mizuta, T. Tanoue, and S. Takahashi, "Theoretical Analysis of Peak-to-Valley Ratio Degradation Caused by Scattering Processes in Multi-Barrier Resonant Tunneling Diodes," 1989 IEEE Cornell High Speed Device Conference, pp.274-283, 1989.
- MMR84 MMR Technologies Product Literature, Vol. 2, No. 6, August 1984.
- MoT88 W.C. Moshier, D.-W. Tu, and G.D. Davis, "Oxygen Contamination of Ge during thermal evaporation for Ohmic Contacts to GaAs," *J. Vac. Sci. Technol. B*, Vol. 6, No. 2, pp. 582-583, 1988.
- MuC86 M. Murakami, K.D. Childs, J.M. Baker, and A. Callegari, "Microstructure Studies of AuNiGe Ohmic Contacts to n-type GaAs," *J. Vac. Sci. Technol. B* 4 (4), pp. 903-911, 1986.
- Oga80 M. Ogawa, "Alloying Behavior in Ni/Au-Ge Films on GaAs," *J. Appl. Phys.* 51(1), pp. 406-412, 1980.
- PiG83 A. Piotrowska, A. Guivarc'h, and G. Pelous, "Ohmic Contacts to III-V Compound Semiconductors: A Review of Fabrication Techniques," *Solid-State Electronics*, Vol. 26, No. 3, pp. 179-197, 1983.
- ReF89 M.A. Reed, W.R. Frensley, R.J. Matyi, J.N. Randall, and A.C. Seabaugh, "Realization of a three-terminal resonant tunneling device: The bipolar quantum resonant tunneling transistor," *Appl. Phys. Lett.*, Vol. 54, No. 11, pp. 1034-1036, 1989.
- ReT90A V.K. Reddy, A.J. Tsao, S. Javalagi, G.K. Kumar, D.R. Miller, and D.P. Neikirk, "Quantum Well Injection Transit Time (QWITT) Diode Oscillators," 15th International Conference on Infrared and Millimeter Waves, pp. 88-90, 1990.
- RhW88 E.H. Rhoderick and R.H. Williams, Metal-Semiconductor Contacts, 2nd Edition, Oxford University Press, 1988.
- RiA84 B. Ricco and M. Ya. Azbel, "Physics of resonant tunneling. The one-dimensional double barrier case," *Phys. Rev. B*, Vol. 29, No. 4, pp. 1970-1981, 1984.
- SeC88 S. Sen, F. Capasso, A.Y. Cho, and D.L. Sivco, "Multiple-State Resonant-Tunneling Bipolar Transistor Operating at Room Temperature

- and its Application as a Frequency Multiplier," IEEE Electron Device Letters, Vol. 9, No. 10, pp. 533-535, 1988.
- SeK92 A.C. Seabaugh, Y.C. Kao, and H.T. Yuan, "Nine-State Resonant Tunneling Diode Memory," IEEE Electron Device Letters, Vol. 13, No. 9, pp. 479-481, 1992.
- ShX91 G.D. Shen, D.X. Xu, M. Willander, and G.V. Hansson, "The Origin of the Temperature Dependence in Resonant Tunneling Transport," 1991 IEEE Cornell High Speed Device Conference, pp. 84-93, 1991.
- SöA88 J. Söderström and T.G. Andersson, "A multiple-state memory cell based on the resonant tunneling diode," IEEE Electron Device Lett., Vol. 9, No. 5, pp. 200-201, 1988.
- SoG83 T.C.L.G. Sollner, W.D. Goodhue, P.E. Tannenwald, C.D. Parker, and D.D. Peck, "Resonant Tunneling through Quantum Wells at Frequencies up to 2.5 THs," Appl. Phys. Lett., 43, pp. 588, 1983.
- StN61 F. Sterzer and D.E. Nelson, "Tunnel-Diode Microwave Oscillators," Proceedings of the IRE, Vol. 49, No. 4, pp. 744-753, 1961.
- StS84 F. Stern and S.D. Sarma, "Electron Energy Levels in GaAs-Ga_{1-x}Al_xAs Heterojunctions," Phys. Rev. B, Vol. 30, No. 2, pp. 840-848, 1984.
- TaM88 T. Tanoue, H. Mizuta, and S. Takahashi, "A Triple-Well Resonant-Tunneling Diode for Multiple-Valued Logic Application," IEEE Electron Device Letters, Vol. 9, No. 8, pp. 365-367, 1988.
- TsE73 R. Tsu and L. Esaki, "Tunneling in a Finite Superlattice," Appl. Phys. Lett., Vol. 22, No. 11, pp. 562-564, 1973.
- VaL89 O. Vanbesien and D. Lippens, "DC and AC Analysis of High Current Double Barrier Structures," Solid-State Electronics, Vol. 32, No. 12, pp. 1533-1537, 1989.
- WeV87 T. Weil and B. Vinter, "Equivalence between resonant tunneling and sequential tunneling in double-barrier diodes," Appl. Phys. Lett., Vol. 50, No. 18, pp. 1281-1283, 1987.
- WhM88 J.F. Whitaker, G.A. Mourou, T.C.L.G. Sollner, and W.D. Goodhue, "Picosecond switching time measurement of a resonant tunneling diode," Appl. Phys. Lett., Vol. 53, No. 5, pp. 385-387, 1988.
- Wil90 R.E. Williams, Modern GaAs Processing Methods, Artch House, Inc., pg.221, 1990.

- WoF81 J.M. Woodall and J. L. Freeouf, "GaAs metallization: Some problems and trends," *J. Vac. Sci. Technol.*, 19(3), pp. 794-798, 1981.

Chapter 5

- Ada85 S. Adachi, "GaAs, AlAs, and $\text{Al}_x\text{Ga}_{1-x}\text{As}$: Material parameters for use in research and device applications," *J. Appl. Phys.*, Vol. 58, No. 3, pp. R1-R29, 1985.
- AIE88 E.S. Alves, L. Eaves, M. Henini, O.H. Hughes, M.L. Leadbeater, F.W. Sheard, G.A. Toombs, "Observation of Intrinsic Bistability in Resonant Tunneling Devices," *Electronics Letters*, Vol. 24, No. 18, pp. 1190-1191, 1988.
- Brde90 G. Brozak, E.A. de Andrada e Silva, L.J. Sham, F. DeRosa, P. Miceli, S.A. Schwarz, J.P. Harbison, L.T. Florez, and S.J. Allen, Jr., "Tunneling Cyclotron Resonance and the Renormalized Effective Mass in Semiconductor Barriers," *Phys. Rev. Lett.*, Vol. 64, No. 4, pp. 471-474, 1990).
- BrS91 E.R. Brown, J.R. Söderström, C.D. Parker, L.J. Mahoney, K.M. Molvar, and T.C. McGill, "Oscillations up to 712 GHz in InAs/AlSb resonant tunneling diodes," *Appl. Phys. Lett.*, Vol. 58, No. 20, pp. 2291-2293, 1991.
- ChH90 P. Cheng and J.S. Harris, "Improved design of AlAs/GaAs resonant tunneling diodes," *Appl. Phys. Lett.*, Vol. 56, No. 17, pp. 1676-1678, 1990.
- GoT88 V.J. Goldman, D.C. Tsui, and J.E. Cunningham, "Breakdown of Coherence in Resonant Tunneling Through Double Barrier Heterostructures," *Solid-State Electronics* Vol. 31, No. 3/4, pp. 731-734, 1988.
- LaA92 D. Landheer, G.C. Aers, and Z.R. Wasilewski, "Effective Mass in the Barriers of GaAs/AlAs Resonant Tunneling Double Barrier Diodes," *Superlattices and Microstructures*, Vol. 11, No. 1, pp. 55-59, 1992.
- LiC88 H.C. Liu and D.D. Coon, "Interface-roughness and island effects on tunneling in quantum wells," *J. Appl. Phys.*, Vol. 64, No. 12, pp. 6785-6789, 1988.
- Liu87 H.C. Liu, "Resonant tunneling through single layer heterostructures," *Appl. Phys. Lett.*, Vol. 51, No. 13, pp. 1019-1021, 1987.

- ReT90 V.K. Reddy, A.J. Tsao, S. Javalagi, G.K. Kumar, D.R. Miller, and D.P. Neikirk, "Quantum Well Injection Transit Time (QWITT) Diode Oscillators," 15th International Conference on Infrared and Millimeter Waves, pp. 88-90, 1990.
- ReT90B V.K. Reddy, A.J. Tsao, and D.P. Neikirk, "High Peak-to-Valley Current Ratio AlGaAs/AlAs/GaAs Double Barrier Resonant Tunneling Diodes," Electronics Letters, Vol. 26, No. 21, pp. 1742-1743, 1990.
- RiA84 B. Ricco and M. Ya. Azbel, "Physics of resonant tunneling. The one-dimensional double barrier case," Phys. Rev. B, Vol. 29, No. 4, pp. 1970-1981, 1984.
- RoG90 C. Rossel, P. Gueret, and H.P. Meier, "Tunneling through asymmetric double barrier quantum well heterostructures," J. Appl. Phys., Vol. 67, No. 2, pp. 900-903, 1990.
- ZaG88 A. Zaslavsky, V.J. Goldman, D.C. Tsui, and J.E. Cunningham, "Resonant tunneling and intrinsic bistability in asymmetric double-barrier heterostructures," Appl. Phys. Lett., Vol. 53, No. 15, pp. 1408-1410, 1988

Chapter 6

- Bal89 C.A. Balanis, Advanced Engineering Electromagnetics, John Wiley & Sons, pg. 50, 1989.
- Col76 D.J. Colliver, Compound Semiconductor Technology, Artech House, Inc., Editor, pp. 241-247, B.S. Perlman, "Pulsed Heat Conduction in a Layered Semiconductor-Metal Transferred Electron Oscillator Geometry," RCA Review, pp. 637-667, 1969.
- HuI87 C.I. Huang, K. Ikossi-Anastasiou, M.J. Paulus, C.A. Bozada, C.E. Stutz, R.L. Jones, and K. R. Evans, "Temperature Effects on AlGaAs/GaAs Double Barrier Diodes with High Peak-to-Valley Current Ratios," 1987 IEEE Cornell High Speed Device Conference, pp. 356-364, 1987.
- Isl93 Issues specific to the Schottky contacted CPW phase shifter have been addressed by M. Saiful Islam in his Ph.D. research. The purpose of presenting the ELO CPW is to show the positive impact that the ELO method has had on this device structure.

- IsT91 M.S. Islam, A.J. Tsao, V.K. Reddy, and D.P. Neikirk, "GaAs on Quartz Coplanar Waveguide Phase Shifter," *IEEE Microwave and Guided Wave Letters*, Vol. 1, No. 11, pp. 328-330, 1991.
- Jav91 S. Javalagi, This mask set was designed by Shiva Javalagi.
- KoS92 F. Kobayashi and Y. Sekiguchi, "GaAs Schottky Photodiode Fabricated on Glass Substrate using Epitaxial Lift-Off Technique," *Jpn. J. Appl. Phys.*, Pt. 2, Vol. 31, pp. L850-L852, 1992.
- LaK84 Lakhani, A.A., "The Role of Compound Formation and Hetero-epitaxy in Indium-based Ohmic Contacts to GaAs", *J. Appl. Phys.*, Vol. 56, No. 6, pp. 1888-1891, 1984.
- MaZ87 E.D. Marshall, B. Zhang, L.C. Wang, P.F. Jiao, W.X. Chen, T. Sawada, S.S. Lau, K.L. Kavanagh, T.F. Kuech, "Nonalloyed ohmic contacts to n-GaAs by solid-phase epitaxy of Ge," *J. Appl. Phys.*, Vol. 62, No. 3, pp. 942-947, 1987.
- Mil90 The software program used here was written by D.R. Miller, 1990.
- PoA90 I. Pollentier, A. Ackaert, P. De Dobbelaere, L. Buydens, P. Van Daele, and P. Demeester, "Fabrication of High-radiance LEDs by Epitaxial Lift-off," *SPIE Vol. 1361 Physical Concepts of Materials for Novel Optoelectronic Device Applications*, pp. 1056-1062, 1990.
- PoB91 I. Pollentier, L. Buydens, P. Van Daele, and P. Demeester, "Fabrication of a GaAs-AlGaAs GRIN-SCH SQW Laser Diode on Silicon by Epitaxial Lift-Off," *IEEE Photonics Technology Letters*, Vol. 3, No. 2, pp. 115-117, 1991.
- PoD90 I. Pollentier, P. Demeester, A. Ackaert, L. Buydens, P. Van Daele, and R. Baets, "Epitaxial Lift-Off GaAs LEDs to Si for Fabrication of Optoelectronic integrated circuits," *Electronics Letters*, Vol. 26, No. 3, pp. 193-194, 1990.
- ScY93 I. Schnitzer, E. Yablonovitch, C. Caneau, and T.J. Gmitter, "Ultrahigh spontaneous emission quantum efficiency, 99.7% internally and 72% externally, from AlGaAs/GaAs/AlGaAs double heterostructures," *Appl. Phys. Lett.*, Vol. 62, No. 2, pp. 131-133, 1993.
- ShX91 G.D. Shen, D.X. Xu, M. Willander, and G.V. Hansson, "The Origin of the Temperature Dependence in Resonant Tunneling Transport," 1991 *IEEE Cornell High Speed Device Conference*, pp. 84-93, 1991.
- VaL89 O. Vanbesien and D. Lippens, "DC and AC Analysis of High Current Double Barrier Structures," *Solid-State Electronics*, Vol. 32, No. 12, pp. 1533-1537, 1989.

- WaL89 L.C. Wang, S.S. Lau, E.K. Hsieh, and J.R. Velebir, "Low-resistance nonspiking ohmic contact for AlGaAs/GaAs high electron mobility transistors using the Ge/Pd scheme," *Appl. Phys. Lett.*, Vol. 54, No. 26, pp. 2677-2679, 1989.
- YaS91 E. Yablonovitch, T. Sands, D.M. Hwang, I. Schnitzer, T.J. Gmitter, S.K. Shastry, D.S. Hill, and J.C.C. Fan, "Van der Waals bonding of GaAs on Pd leads to a permanent, solid-phase-topotaxial, metallurgical bond," *Appl. Phys. Lett.* , Vol. 59, No. 24, pp. 3159-3161, 1991.
- YuW89 L.S. Yu, L.C. Wang, E.D. Marshall, S.S. Lau, and T.F. Kuech, "The temperature dependence of contact resistivity of the Ge/Pd and the Si/Pd nonalloyed contact schemes on n-GaAs," *J. Appl. Phys.*, Vol. 65, pp.1621, 1989.